ELSEVIER

Hearing Research 153 (2001) 196–197

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 153

Anken, R.H., see Ibsch, M. (153) 80
Apoux, F., Crouzet, O. and Lorenzi, C.
Temporal envelope expansion of speech in noise for normal-hearing and hearing-impaired listeners: effects on identification performance and response times (153) 123

Backoff, P.M., see Palombi, P.S. (153) 174
Barhanin, J., see Nicolas, M.-T. (153) 132
Boettcher, F.A., Poth, E.A., Mills, J.H. and Dubno, J.R.
The amplitude-modulation following response in young and aged human subjects (153) 32

Caspary, D.M., see Palombi, P.S. (153) 174
Ceponiene, R., see Sussman, E. (153) 108
Crouzet, O., see Apoux, F. (153) 123

Demêmes, D., see Nicolas, M.-T. (153) 132
Dubno, J.R., see Boettcher, F.A. (153) 32

Felix, H., see Rattay, F. (153) 43
Felix, H., see Rattay, F. (153) 64

Hara, A., see Tabuchi, K. (153) 1
Hoshino, T., see Nagura, M. (153) 7

Ibsch, M., Anken, R.H., Vöhringer, P. and Rahmann, H.
Vesicular bodies in fish maculae are artifacts not contributing to otolith growth (153) 80
Ito, Z., see Tabuchi, K. (153) 1
Iwasaki, S., see Nagura, M. (153) 7
Iwasaki, T., see Makiishi-Shimobayashi, C. (153) 100

Jensen, R.C., see Lyon, M.J. (153) 164

Kaga, K., see Sheykholeslami, K. (153) 115
Kupershmidt, S., see Nicolas, M.-T. (153) 132
Kusakari, J., see Tabuchi, K. (153) 1

Leao, R.N., see Rattay, F. (153) 64
Lee, C.-Y. and Rosowski, J.J.
Effects of middle-ear static pressure on pars tensa and pars flaccida of gerbil ears (153) 146
Lorenzi, C., see Apoux, F. (153) 123
Lutter, P., see Rattay, F. (153) 43
Lyon, M.J. and Jensen, R.C.
Quantitative analysis of rat inner ear blood flow using the iodo[^{14}C]antipyrine technique (153) 164

Makiishi-Shimobayashi, C., Tsujimura, T., Sugihara, A., Iwasaki, T., Yamada, N., Terada, N. and Sakagami, M.
Expression of osteopontin by exudate macrophages in inflammatory tissues of the middle ear: a possible association with development of tympanosclerosis (153) 100
Manley, G.A., see van Dijk, P. (153) 14
Martin, A., see Nicolas, M.-T. (153) 132
Mills, J.H., see Boettcher, F.A. (153) 32
Mineta, H., see Nagura, M. (153) 7
Mizuta, K., see Nagura, M. (153) 7
Mizutani, M., see Sheykholeslami, K. (153) 115

Näätänen, R., see Sussman, E. (153) 108
Nagura, M., Iwasaki, S., Mizuta, K., Mineta, H., Umemura, K. and Hoshino, T.
Role of nitric oxide in focal microcirculation disorder of guinea pig cochlea (153) 7
Nicolas, M.-T., Demêmes, D., Martin, A., Kupershmidt, S. and Barhanin, J.
KCNQ1/KCNE1 potassium channels in mammalian vestibular dark cells (153) 132
Nuttall, A.L., see Shi, X. (153) 23

Palombi, P.S., Backoff, P.M. and Caspary, D.M.
Responses of young and aged rat inferior colliculus neurons to sinusoidally amplitude modulated stimuli (153) 174
Poth, E.A., see Boettcher, F.A. (153) 32

Rahmann, H., see Ibsch, M. (153) 80
Rattay, F., Lutter, P. and Felix, H.
A model of the electrically excited human cochlear neuron. I. Contribution of neural substructures to the generation and propagation of spikes (153) 43
Rattay, F., Leao, R.N. and Felix, H.
A model of the electrically excited human cochlear neuron. II. Influence of the three-dimensional cochlear structure on neural excitability (153) 64
Ren, T., see Shi, X. (153) 23
Rosowski, J.J., see Lee, C.-Y. (153) 146
Rubel, E.W., see Woolley, S.M.N. (153) 181

Sakagami, M., see Makiishi-Shimobayashi, C. (153) 100
Shestakova, A., see Sussman, E. (153) 108
Sheykholeslami, K., Kaga, K., Tsuzuku, T. and Mizutani, M.
Electrophysiological measures of auditory function in the neurofilament-deficient mutant quail (Quv) (153) 115
Shi, X., Ren, T. and Nuttall, A.L.
Nitric oxide distribution and production in the guinea pig cochlea (153) 23
Sugihara, A., see Makiishi-Shimobayashi, C. (153) 100
Sugihara, I.
Efferent innervation in the goldfish saccule examined by acetylcholinesterase histochemistry (153) 91
Sussman, E., Ceponiene, R., Shestakova, A., Näätänen, R. and Winkler, I.
Auditory stream segregation processes operate similarly in school-aged children and adults (153) 108

Tabuchi, K., Tsuji, S., Ito, Z., Hara, A. and Kusakari, J.
Does xanthine oxidase contribute to the hydroxyl radical generation in ischemia and reperfusion of the cochlea? (153) 1

PII: S0378-5955(01)00236-2

ELSEVIER

Hearing Research 153 (2001) 196–197

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 153

Anken, R.H., see Ibsch, M. (153) 80
Apoux, F., Crouzet, O. and Lorenzi, C.
Temporal envelope expansion of speech in noise for normal-hearing and hearing-impaired listeners: effects on identification performance and response times (153) 123

Backoff, P.M., see Palombi, P.S. (153) 174
Barhanin, J., see Nicolas, M.-T. (153) 132
Boettcher, F.A., Poth, E.A., Mills, J.H. and Dubno, J.R.
The amplitude-modulation following response in young and aged human subjects (153) 32

Caspary, D.M., see Palombi, P.S. (153) 174
Ceponiene, R., see Sussman, E. (153) 108
Crouzet, O., see Apoux, F. (153) 123

Demêmes, D., see Nicolas, M.-T. (153) 132
Dubno, J.R., see Boettcher, F.A. (153) 32

Felix, H., see Rattay, F. (153) 43
Felix, H., see Rattay, F. (153) 64

Hara, A., see Tabuchi, K. (153) 1
Hoshino, T., see Nagura, M. (153) 7

Ibsch, M., Anken, R.H., Vöhringer, P. and Rahmann, H.
Vesicular bodies in fish maculae are artifacts not contributing to otolith growth (153) 80
Ito, Z., see Tabuchi, K. (153) 1
Iwasaki, S., see Nagura, M. (153) 7
Iwasaki, T., see Makiishi-Shimobayashi, C. (153) 100

Jensen, R.C., see Lyon, M.J. (153) 164

Kaga, K., see Sheykholeslami, K. (153) 115
Kupershmidt, S., see Nicolas, M.-T. (153) 132
Kusakari, J., see Tabuchi, K. (153) 1

Leao, R.N., see Rattay, F. (153) 64
Lee, C.-Y. and Rosowski, J.J.
Effects of middle-ear static pressure on pars tensa and pars flaccida of gerbil ears (153) 146
Lorenzi, C., see Apoux, F. (153) 123
Lutter, P., see Rattay, F. (153) 43
Lyon, M.J. and Jensen, R.C.
Quantitative analysis of rat inner ear blood flow using the iodo[^{14}C]antipyrine technique (153) 164

Makiishi-Shimobayashi, C., Tsujimura, T., Sugihara, A., Iwasaki, T., Yamada, N., Terada, N. and Sakagami, M.
Expression of osteopontin by exudate macrophages in inflammatory tissues of the middle ear: a possible association with development of tympanosclerosis (153) 100
Manley, G.A., see van Dijk, P. (153) 14
Martin, A., see Nicolas, M.-T. (153) 132
Mills, J.H., see Boettcher, F.A. (153) 32
Mineta, H., see Nagura, M. (153) 7
Mizuta, K., see Nagura, M. (153) 7
Mizutani, M., see Sheykholeslami, K. (153) 115

Näätänen, R., see Sussman, E. (153) 108
Nagura, M., Iwasaki, S., Mizuta, K., Mineta, H., Umemura, K. and Hoshino, T.
Role of nitric oxide in focal microcirculation disorder of guinea pig cochlea (153) 7
Nicolas, M.-T., Demêmes, D., Martin, A., Kupershmidt, S. and Barhanin, J.
KCNQ1/KCNE1 potassium channels in mammalian vestibular dark cells (153) 132
Nuttall, A.L., see Shi, X. (153) 23

Palombi, P.S., Backoff, P.M. and Caspary, D.M.
Responses of young and aged rat inferior colliculus neurons to sinusoidally amplitude modulated stimuli (153) 174
Poth, E.A., see Boettcher, F.A. (153) 32

Rahmann, H., see Ibsch, M. (153) 80
Rattay, F., Lutter, P. and Felix, H.
A model of the electrically excited human cochlear neuron. I. Contribution of neural substructures to the generation and propagation of spikes (153) 43
Rattay, F., Leao, R.N. and Felix, H.
A model of the electrically excited human cochlear neuron. II. Influence of the three-dimensional cochlear structure on neural excitability (153) 64
Ren, T., see Shi, X. (153) 23
Rosowski, J.J., see Lee, C.-Y. (153) 146
Rubel, E.W., see Woolley, S.M.N. (153) 181

Sakagami, M., see Makiishi-Shimobayashi, C. (153) 100
Shestakova, A., see Sussman, E. (153) 108
Sheykholeslami, K., Kaga, K., Tsuzuku, T. and Mizutani, M.
Electrophysiological measures of auditory function in the neurofilament-deficient mutant quail (Quv) (153) 115
Shi, X., Ren, T. and Nuttall, A.L.
Nitric oxide distribution and production in the guinea pig cochlea (153) 23
Sugihara, A., see Makiishi-Shimobayashi, C. (153) 100
Sugihara, I.
Efferent innervation in the goldfish saccule examined by acetylcholinesterase histochemistry (153) 91
Sussman, E., Ceponiene, R., Shestakova, A., Näätänen, R. and Winkler, I.
Auditory stream segregation processes operate similarly in school-aged children and adults (153) 108

Tabuchi, K., Tsuji, S., Ito, Z., Hara, A. and Kusakari, J.
Does xanthine oxidase contribute to the hydroxyl radical generation in ischemia and reperfusion of the cochlea? (153) 1

PII: S0378-5955(01)00236-2

Terada, N., see Makiishi-Shimobayashi, C. (153) 100
Tsuji, S., see Tabuchi, K. (153) 1
Tsujimura, T., see Makiishi-Shimobayashi, C. (153) 100
Tsuzuku, T., see Sheykholeslami, K. (153) 115

Umemura, K., see Nagura, M. (153) 7

van Dijk, P. and Manley, G.A.
Distortion product otoacoustic emissions in the tree frog *Hyla cinerea* (153) 14

Vöhringer, P., see Ibsch, M. (153) 80

Winkler, I., see Sussman, E. (153) 108
Wissman, A.M., see Woolley, S.M.N. (153) 181
Woolley, S.M.N., Wissman, A.M. and Rubel, E.W
Hair cell regeneration and recovery of auditory thresholds following aminoglycoside ototoxicity in Bengalese finches (153) 181

Yamada, N., see Makiishi-Shimobayashi, C. (153) 100

ELSEVIER

Hearing Research 153 (2001) 198–201

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 153

Acetylcholine
Hearing; Inner ear; Hair cell; Electron microscopy; Synapse (Sugihara, I. (153) 91)

Activating function
Human cochlear neuron; Electrical stimulation; Computer simulation; Auditory nerve; Compartment model; Unmyelinated spiral ganglion cell (Rattay, F. (153) 43)

Cochlear neuron; Electrical stimulation; Computer simulation; Auditory nerve; Finite element (Rattay, F. (153) 64)

Age-related hearing loss
Aging; Amplitude-modulation following response; Presbyacusis (Boettcher, F.A. (153) 32)

Aging
Rat; Inferior colliculus; Amplitude modulation; Inhibition (Palombi, P.S. (153) 174)

Age-related hearing loss; Amplitude-modulation following response; Presbyacusis (Boettcher, F.A. (153) 32)

Amikacin
Hearing; Bird; Basilar papilla; Cochlea; Stereocilia (Woolley, S.M.N. (153) 181)

Amphibia
Distortion product otoacoustic emission; Frog (van Dijk, P. (153) 14)

Amplitude modulation
Rat; Aging; Inferior colliculus; Inhibition (Palombi, P.S. (153) 174)

Amplitude-modulation following response
Aging; Age-related hearing loss; Presbyacusis (Boettcher, F.A. (153) 32)

L-Arginine
4,5-Diaminofluorescein diacetate; Nitric oxide; N^G-Nitro-L-arginine methyl ester HCl; N^G-Monomethyl-L-arginine monoacetate; Outer hair cell; Endothelial cell (Shi, X. (153) 23)

Artifact
Otolith growth; Blister; Utricle; Saccule; Fish; Inner ear (Ibsch, M. (153) 80)

Auditory evoked brainstem response
Quail; Bird; Middle latency response; Neurofilament deficiency; Conduction velocity (Sheykholeslami, K. (153) 115)

Auditory nerve
Human cochlear neuron; Electrical stimulation; Activating function; Computer simulation; Compartment model; Unmyelinated spiral ganglion cell (Rattay, F. (153) 43)

Cochlear neuron; Electrical stimulation; Activating function; Computer simulation; Finite element (Rattay, F. (153) 64)

Auditory stream segregation
School-aged children; Event-related potential; Mismatch negativity (Sussman, E. (153) 108)

Background noise
Temporal envelope expansion; Speech identification; Response time; Sensorineural hearing loss (Apoux, F. (153) 123)

Basilar papilla
Amikacin; Hearing; Bird; Cochlea; Stereocilia (Woolley, S.M.N. (153) 181)

Bird
Quail; Auditory evoked brainstem response; Middle latency response; Neurofilament deficiency; Conduction velocity (Sheykholeslami, K. (153) 115)

Amikacin; Hearing; Basilar papilla; Cochlea; Stereocilia (Woolley, S.M.N. (153) 181)

Blister
Otolith growth; Artifact; Utricle; Saccule; Fish; Inner ear (Ibsch, M. (153) 80)

Blood flow
Vestibule; Cochlea; Microcirculation; Quantitative; Iodoantipyrine (Lyon, M.J. (153) 164)

Calcification
Tympanosclerosis; Osteopontin; Macrophage; Chronic otitis media (Makiishi-Shimobayashi, C. (153) 100)

Chronic otitis media
Tympanosclerosis; Osteopontin; Calcification; Macrophage (Makiishi-Shimobayashi, C. (153) 100)

Cochlea
Compound action potential; Ischemia; Hydroxyl radical; Xanthine oxidase (Tabuchi, K. (153) 1)

Vestibule; Blood flow; Microcirculation; Quantitative; Iodoantipyrine (Lyon, M.J. (153) 164)

Amikacin; Hearing; Bird; Basilar papilla; Stereocilia (Woolley, S.M.N. (153) 181)

PII: S0378-5955(01)00237-4

Cochlear blood flow
Nitric oxide; Microcirculation disorder; Photochemical reaction; Reactive oxygen species; Endothelial cell (Nagura, M. (153) 7)

Cochlear neuron
Electrical stimulation; Activating function; Computer simulation; Auditory nerve; Finite element (Rattay, F. (153) 64)

Compartment model
Human cochlear neuron; Electrical stimulation; Activating function; Computer simulation; Auditory nerve; Unmyelinated spiral ganglion cell (Rattay, F. (153) 43)

Compound action potential
Cochlea; Ischemia; Hydroxyl radical; Xanthine oxidase (Tabuchi, K. (153) 1)

Computer simulation
Human cochlear neuron; Electrical stimulation; Activating function; Auditory nerve; Compartment model; Unmyelinated spiral ganglion cell (Rattay, F. (153) 43)

Cochlear neuron; Electrical stimulation; Activating function; Auditory nerve; Finite element (Rattay, F. (153) 64)

Conduction velocity
Quail; Bird; Auditory evoked brainstem response; Middle latency response; Neurofilament deficiency (Sheykholeslami, K. (153) 115)

Dark cell
KCNQ1/KCNE1 (KvLQT1/IsK); Knock-out mouse; Immunocytochemistry; In situ hybridization; Electron microscopy (Nicolas, M.-T. (153) 132)

4,5-Diaminofluorescein diacetate
Nitric oxide; N^G-Nitro-L-arginine methyl ester HCl; N^G-Monomethyl-L-arginine monoacetate; L-Arginine; Outer hair cell; Endothelial cell (Shi, X. (153) 23)

Distortion product otoacoustic emission
Amphibia; Frog (van Dijk, P. (153) 14)

Electrical stimulation
Human cochlear neuron; Activating function; Computer simulation; Auditory nerve; Compartment model; Unmyelinated spiral ganglion cell (Rattay, F. (153) 43)

Cochlear neuron; Activating function; Computer simulation; Auditory nerve; Finite element (Rattay, F. (153) 64)

Electron microscopy
Dark cell; KCNQ1/KCNE1 (KvLQT1/IsK); Knock-out mouse; Immunocytochemistry; In situ hybridization (Nicolas, M.-T. (153) 132)

Hearing; Inner ear; Hair cell; Acetylcholine; Synapse (Sugihara, I. (153) 91)

Endothelial cell
4,5-Diaminofluorescein diacetate; Nitric oxide; N^G-Nitro-L-arginine methyl ester HCl; N^G-Monomethyl-L-arginine monoacetate; L-Arginine; Outer hair cell (Shi, X. (153) 23)

Nitric oxide; Cochlear blood flow; Microcirculation disorder; Photochemical reaction; Reactive oxygen species (Nagura, M. (153) 7)

Event-related potential
Auditory stream segregation; School-aged children; Mismatch negativity (Sussman, E. (153) 108)

Finite element
Cochlear neuron; Electrical stimulation; Activating function; Computer simulation; Auditory nerve (Rattay, F. (153) 64)

Fish
Otolith growth; Artifact; Blister; Utricle; Saccule; Inner ear (Ibsch, M. (153) 80)

Frog
Distortion product otoacoustic emission; Amphibia (van Dijk, P. (153) 14)

Hair cell
Hearing; Inner ear; Acetylcholine; Electron microscopy; Synapse (Sugihara, I. (153) 91)

Hearing
Amikacin; Bird; Basilar papilla; Cochlea; Stereocilia (Woolley, S.M.N. (153) 181)

Inner ear; Hair cell; Acetylcholine; Electron microscopy; Synapse (Sugihara, I. (153) 91)

Human cochlear neuron
Electrical stimulation; Activating function; Computer simulation; Auditory nerve; Compartment model; Unmyelinated spiral ganglion cell (Rattay, F. (153) 43)

Hydroxyl radical
Cochlea; Compound action potential; Ischemia; Xanthine oxidase (Tabuchi, K. (153) 1)

Immunocytochemistry
Dark cell; KCNQ1/KCNE1 (KvLQT1/IsK); Knock-out mouse; In situ hybridization; Electron microscopy (Nicolas, M.-T. (153) 132)

In situ hybridization
Dark cell; KCNQ1/KCNE1 (KvLQT1/IsK); Knock-out mouse; Immunocytochemistry; Electron microscopy (Nicolas, M.-T. (153) 132)

Inferior colliculus
Rat; Aging; Amplitude modulation; Inhibition (Palombi, P.S. (153) 174)

Inhibition
Rat; Aging; Inferior colliculus; Amplitude modulation (Palombi, P.S. (153) 174)

Inner ear
Otolith growth; Artifact; Blister; Utricle; Saccule; Fish (Ibsch, M. (153) 80)

Hearing; Hair cell; Acetylcholine; Electron microscopy; Synapse (Sugihara, I. (153) 91)

Iodoantipyrine
Vestibule; Cochlea; Blood flow; Microcirculation; Quantitative (Lyon, M.J. (153) 164)

Ischemia
Cochlea; Compound action potential; Hydroxyl radical; Xanthine oxidase (Tabuchi, K. (153) 1)

KCNQ1/KCNE1 (KvLQT1/IsK)
Dark cell; Knock-out mouse; Immunocytochemistry; In situ hybridization; Electron microscopy (Nicolas, M.-T. (153) 132)

Knock-out mouse
Dark cell; KCNQ1/KCNE1 (KvLQT1/IsK); Immunocytochemistry; In situ hybridization; Electron microscopy (Nicolas, M.-T. (153) 132)

Laser Doppler velocimetry
Tympanic membrane; Tympanometry (Lee, C.-Y. (153) 146)

Macrophage
Tympanosclerosis; Osteopontin; Calcification; Chronic otitis media (Makiishi-Shimobayashi, C. (153) 100)

Microcirculation
Vestibule; Cochlea; Blood flow; Quantitative; Iodoantipyrine (Lyon, M.J. (153) 164)

Microcirculation disorder
Nitric oxide; Cochlear blood flow; Photochemical reaction; Reactive oxygen species; Endothelial cell (Nagura, M. (153) 7)

Middle latency response
Quail; Bird; Auditory evoked brainstem response; Neurofilament deficiency; Conduction velocity (Sheykholeslami, K. (153) 115)

Mismatch negativity
Auditory stream segregation; School-aged children; Event-related potential (Sussman, E. (153) 108)

N^G-Monomethyl-L-arginine monoacetate
4,5-Diaminofluorescein diacetate; Nitric oxide; N^G-Nitro-L-arginine methyl ester HCl; L-Arginine; Outer hair cell; Endothelial cell (Shi, X. (153) 23)

Neurofilament deficiency
Quail; Bird; Auditory evoked brainstem response; Middle latency response; Conduction velocity (Sheykholeslami, K. (153) 115)

Nitric oxide
4,5-Diaminofluorescein diacetate; N^G-Nitro-L-arginine methyl ester HCl; N^G-Monomethyl-L-arginine monoacetate; L-Arginine; Outer hair cell; Endothelial cell (Shi, X. (153) 23)

Cochlear blood flow; Microcirculation disorder; Photochemical reaction; Reactive oxygen species; Endothelial cell (Nagura, M. (153) 7)

N^G-Nitro-L-arginine methyl ester HCl
4,5-Diaminofluorescein diacetate; Nitric oxide; N^G-Monomethyl-L-arginine monoacetate; L-Arginine; Outer hair cell; Endothelial cell (Shi, X. (153) 23)

Osteopontin
Tympanosclerosis; Calcification; Macrophage; Chronic otitis media (Makiishi-Shimobayashi, C. (153) 100)

Otolith growth
Artifact; Blister; Utricle; Saccule; Fish; Inner ear (Ibsch, M. (153) 80)

Outer hair cell
4,5-Diaminofluorescein diacetate; Nitric oxide; N^G-Nitro-L-arginine methyl ester HCl; N^G-Monomethyl-L-arginine monoacetate; L-Arginine; Endothelial cell (Shi, X. (153) 23)

Photochemical reaction
Nitric oxide; Cochlear blood flow; Microcirculation disorder; Reactive oxygen species; Endothelial cell (Nagura, M. (153) 7)

Presbyacusis
Aging; Age-related hearing loss; Amplitude-modulation following response (Boettcher, F.A. (153) 32)

Quail
Bird; Auditory evoked brainstem response; Middle latency response; Neurofilament deficiency; Conduction velocity (Sheykholeslami, K. (153) 115)

Quantitative
Vestibule; Cochlea; Blood flow; Microcirculation; Iodoantipyrine (Lyon, M.J. (153) 164)

Rat
Aging; Inferior colliculus; Amplitude modulation; Inhibition (Palombi, P.S. (153) 174)

Reactive oxygen species
Nitric oxide; Cochlear blood flow; Microcirculation disorder; Photochemical reaction; Endothelial cell (Nagura, M. (153) 7)

Response time
Temporal envelope expansion; Background noise; Speech identification; Sensorineural hearing loss (Apoux, F. (153) 123)

Saccule
Otolith growth; Artifact; Blister; Utricle; Fish; Inner ear (Ibsch, M. (153) 80)

School-aged children
Auditory stream segregation; Event-related potential; Mismatch negativity (Sussman, E. (153) 108)

Sensorineural hearing loss
Temporal envelope expansion; Background noise; Speech identification; Response time (Apoux, F. (153) 123)

Speech identification
Temporal envelope expansion; Background noise; Response time; Sensorineural hearing loss (Apoux, F. (153) 123)

Stereocilia
Amikacin; Hearing; Bird; Basilar papilla; Cochlea (Woolley, S.M.N. (153) 181)

Synapse
Hearing; Inner ear; Hair cell; Acetylcholine; Electron microscopy (Sugihara, I. (153) 91)

Temporal envelope expansion
Background noise; Speech identification; Response time; Sensorineural hearing loss (Apoux, F. (153) 123)

Tympanic membrane
Tympanometry; Laser Doppler velocimetry (Lee, C.-Y. (153) 146)

Tympanometry
Tympanic membrane; Laser Doppler velocimetry (Lee, C.-Y. (153) 146)

Tympanosclerosis
Osteopontin; Calcification; Macrophage; Chronic otitis media (Makiishi-Shimobayashi, C. (153) 100)

Unmyelinated spiral ganglion cell
Human cochlear neuron; Electrical stimulation; Activating function; Computer simulation; Auditory nerve; Compartment model (Rattay, F. (153) 43)

Utricle
Otolith growth; Artifact; Blister; Saccule; Fish; Inner ear (Ibsch, M. (153) 80)

Vestibule
Cochlea; Blood flow; Microcirculation; Quantitative; Iodoantipyrine (Lyon, M.J. (153) 164)

Xanthine oxidase
Cochlea; Compound action potential; Ischemia; Hydroxyl radical (Tabuchi, K. (153) 1)